



PATENT
ATTORNEY DOCKET NO. 61834-5028-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Sparks <i>et al.</i>)	
)	
Application No. 10/807,856)	Group Art Unit: 1639
)	
Filed: March 23, 2004)	Examiner: M. L. Shibuya
)	
For: Polypeptides Having A Functional Domain of)	
Interest and Methods of Identifying and Using)	
The Same)	

U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. 1.97(b)

Pursuant to 37 C.F.R. 1.56 and 1.97(b), Applicants bring to the attention of the Examiner the documents listed on the attached PTO-1449 forms. This Information Disclosure Statement is being filed, to the best of the undersigned's knowledge, before the mailing date of a first Office Action on the merits for the above-referenced application. Accordingly, Applicants do not believe that a fee is due with the filing of this paper.

Copies of the listed documents are not attached. These documents were submitted in the parent application, Application No. 08/630,915. A copy of the documents will be provided upon request of the Examiner.


Applicants respectfully request that the Examiner consider the listed documents and evidence that consideration by making appropriate notations on the attached form. This submission does not represent that a search has been made or that no better art exists and does not constitute an admission that each or all of the listed documents are material or constitute prior art. If the Examiner applies any one of the documents as prior art against any claim in the application, and Applicants determine that the cited document does not constitute prior art under United States law, Applicants reserve the right to present to the office the relevant facts and law regarding the appropriate status of such document.

Applicants further reserve the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

Except for issue fees payable under 37 C.F.R. 1.18, the Commissioner is hereby authorized by this paper to charge any additional fees during the entire pendency of this application including fees due under 37 C.F.R. 1.16 and 1.17 which may be required, including any required extension of time fees, or credit any overpayment to Deposit Account No. 50-0310. This paragraph is intended to be a **constructive petition for extension of time** in accordance with 37 C.F.R. 1.136(a)(3).

Dated: **April 20, 2005**
Morgan, Lewis & Bockius LLP
Customer No. **09629**
1111 Pennsylvania Avenue, N.W.
Washington, D.C. 20004
202-739-3000

Respectfully submitted
Morgan, Lewis & Bockius LLP



Edward I. Amaya
Registration No. 54,960

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

61834-5028-US

APPLICATION NO

10/807,856

APPLICANT

Sparks *et al.*

FILING DATE

March 23, 2004

GROUP

1639

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A01	5,096,815	03/17/1992	Ladner et al.			
	A02	5,198,346	03/30/1993	Ladner et al.			
	A03	5,223,409	06/29/1993	Ladner et al.			
	A04	5,541,109	07/30/1996	Searfoss, III et al.			
	A05						
	A06						
	A07						
	A08						
	A09						

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
	B01	WO 90/02809	03/22/1990	WIPO				
	B02	WO 91/19818	12/26/1991	WIPO				
	B03	WO 92/18528	10/29/1992	WIPO				
	B04	WO 93/18054	09/16/1993	WIPO				
	B05	WO 95/10296	04/20/1995	WIPO				
	B06	WO 95/24419	09/14/1995	WIPO				
	B07	WO 96/36881	11/21/1996	WIPO				
	B08	WO 97/37223	10/09/1997	WIPO				

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)		ATTY DOCKET NO.	APPLICATION NO
		61834-5028-US	10/807,856
		APPLICANT	Sparks <i>et al.</i>
		FILING DATE	GROUP
		March 23, 2004	1639
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)			
C01	Barkas et al., 1987, "Mapping the main immunogenic region and toxin-binding site of the nicotinic acetylcholine receptor", <i>Science</i> 235:77-80.		
C02	Bar-Sagi et al., 1993, "SH3 domains direct cellular localization of signaling molecules", <i>Cell</i> 74:83-91		
C03	Blond-Elguindi et al., 1993, "Affinity panning of a library of peptides displayed on bacteriophages reveals the binding specificity of BiP", <i>Cell</i> 75:717-728.		
C04	Bock et al., 1992, "Selection of single-stranded DNA molecules that bind and inhibit human thrombin", <i>Nature</i> 355:564-566.		
C05	Brunton & Workman, 1993, "Cell-signaling targets for antitumor drug development", <i>Cancer Chemother. Pharmacol.</i> 32:1-19.		
C06	Cheadle et al., 1994, "Identification of a SRC SH3 domain binding motif by screening a random phage display library", <i>J. Biol. Chem.</i> 269:24034-24039.		
C07	Chen et al., 1993, "Biased combinatorial libraries: Novel ligands for the SH3 domain of phosphatidylinositol 3-kinase", <i>J. Biol. Chem.</i> 115:12591-12592.		
C08	Chien et al., 1991, "The two-hybrid system: A method to identify and clone genes for proteins that interact with a protein of interest", <i>Proc. Natl. Acad. Sci. USA</i> 88:9578-9582.		
C09	Cicchetti et al., 1992, "Identification of a protein that binds to the SH3 region of Abl and is similar to BCR and GAP-p", <i>Science</i> 257:803-806.		
C10	Clark et al., 1992, "C. elegans cell-signalling gene <i>sem-5</i> encodes a protein with SH2 and SH3 domains", <i>Nature</i> 356:340-344.		
C11	Cohen et al., 1995, "Modular binding domains in signal transduction proteins", <i>Cell</i> 80:237-24		
C12	Cwirla et al., 1990, "Peptides on phage: A vast library of peptides for identifying ligands", <i>Proc. Acad. Sci. USA</i> 87:6378-6382.		
C13	Daniels & Lane, 1994, "The characterization of p53 binding phage isolated from phage peptide display libraries", <i>J. Mol. Biol.</i> 243:639-652.		
C14	David et al., 1994, "Autoimmunity in stiff-Man syndrome with breast cancer is targeted to the C-terminal region of human amphiphysin, a protein similar to the yeast proteins, RVS167 and RVS161", <i>FEBS Lett.</i> 351:73-79.		
C15	Dedman et al., 1993, "Selection of targeted biological modifiers from a bacteriophage library of random peptides. The identification of novel calmodulin regulatory peptides", <i>J. Biol. Chem.</i> 268:23025-23030.		
C16	Devlin et al., 1990, "Random peptide libraries: A source of specific protein binding molecules", <i>Science</i> 249:404-406.		
C17	Doorbar & Winter, 1994, "Isolation of a peptide antagonist to the thrombin receptor using phage display", <i>J. Mol. Biol.</i> 244:361-369.		
C18	Duchesne et al., 1993, "Identification of the SH3 domain of GAP as an essential sequence for RAS-GAP-Mediated signaling", <i>Science</i> 259:525-528.		
C19	Egan et al., 1993, "Association of Sos Ras exchange protein with Grb2 is implicated in tyrosine kinase signal transduction and transformation", <i>Nature</i> 363:45-51.		
C20	Ellington & Szostak, 1990, "In vitro selection of RNA molecules that bind specific ligands", <i>Nature</i> 346:818-822.		
C21	Ellington & Szostak, 1992, "Selection <i>in vitro</i> of single-stranded DNA molecules that fold into specific ligand-binding structures", <i>Nature</i> 355:850-852.		
EXAMINER		DATE CONSIDERED	
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

61834-5028-US

APPLICATION NO

10/807,856

APPLICANT

Sparks *et al.*

FILING DATE

March 23, 2004

GROUP

1639

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)


- | | |
|-----|--|
| C22 | Evans et al., 1990, "Talin and vinculin in the oocyte, eggs, and early embryos of <i>Xenopus laevis</i> : A developmentally regulated change in distribution", <i>Dev. Biol.</i> 137:403-413. |
| C23 | Feng et al., 1994, "Two binding orientations for peptides to the SRC SH3 domain: Development of a general model for SH3-Ligand interactions", <i>Science</i> 266:1241-1247. |
| C24 | Fields & Song, 1989, "A novel genetic system to detect protein-protein interactions", <i>Nature</i> 340:245-246. |
| C25 | Flynn et al., 1993, "Identification and sequence analysis of cDNAs encoding a 110-kilodalton actin filament-associated pp60 ^{src} substrate", <i>Mol. Cell. Biol.</i> 13:7892-7900. |
| C26 | Fowlkes et al., 1992, "Multipurpose vectors for peptide expression on the M13 viral surface", <i>Biotechniques</i> 13:422-427. |
| C27 | Fukamachi et al., 1994, "Identification of a protein, SPY75, with repetitive helix-turn-helix motifs and an SH3 domain as a major substrate for protein tyrosine kinase(s) activated by Fc ϵ RI cross-linking", <i>J. Immunol.</i> 152:642-652. |
| C28 | Gao et al., 1994, "Selection of a subset of mRNAs from combinatorial 3' untranslated region libraries using neuronal RNA-binding protein Hel-N1", <i>Proc. Natl. Acad. Sci. USA</i> 91:11207-11211. |
| C29 | Geysen et al., 1987, "Strategies for epitope analysis using peptide synthesis", <i>J. Immunol. Meth.</i> 102:259-274. |
| C30 | Gilbert & Villa-Komaroff, 1980, "Useful proteins from recombinant bacteria", <i>Sci. Am.</i> 242:74-94. |
| C31 | Goodson et al., 1994, "High-affinity urokinase receptor antagonists identified with bacteriophage peptide display", <i>Proc. Natl. Acad. Sci. USA</i> 91:7129-7133. |
| C32 | Gordon et al., 1994, "Applications of combinatorial technologies to drug discovery. 2. Combinatorial organic synthesis, library screening strategies, and future directions", <i>J. Med. Chem.</i> 37:1385-1401. |
| C33 | Gout et al., 1993, "The GTPase dynamin binds to and is activated by a subset of SH3 domains", <i>Cell</i> 75:25-36. |
| C34 | Hoffman, 1995, "A novel method for identifying <i>src</i> homology 3 (SH3) domain-containing proteins", J.K. Koeppe Undergraduate Res. Symp. in Biol of UNC at Chapel Hill, April 7, abstracts. |
| C35 | Hoffman, 1995, "A novel method for identifying <i>src</i> homology 3 (SH3) domain-containing proteins", Honors Thesis, Dept of Biology, UNC Chapel Hill. |
| C36 | Hoffman, Noah G., et al., 1996, <i>Molecular Diversity</i> , 2:5-12. |
| C37 | Houghten et al., 1991, "Generation and use of synthetic peptide combinatorial libraries for basic research and drug discoveries", <i>Nature</i> 354:84-86. |
| C38 | Ishikawa et al., 1994, "Drebrin, a development-associated brain protein from rat embryo, causes the dissociation of tropomyosin from actin filaments", <i>J. Biol. Chem.</i> 269:29928-29933. |
| C39 | Iwabuchi et al., 1994, "Two cellular proteins that bind to wild-type but not mutant p53", <i>Proc. Natl. Acad. Sci. USA</i> 91:6098-6102. |
| C40 | Jackson et al., 1993, "Mutation of a phenylalanine conserved in SH3-containing tyrosine kinases activates the transforming ability of c-ABL", <i>Oncogene</i> 8:1943-1956. |
| C41 | Jerne, N. K., 1974, "Towards a network theory of the immune system", <i>Ann. Immunol. (Inst. Pasteur)</i> 125c:373-389. |
| C42 | Kapeller et al., 1994, "Identification of two SH3-binding motifs in the regulatory subunit of phosphatidylinositol 3-kinase", <i>J. Biol. Chem.</i> 269:1927-1933. |

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT
(Use several sheets if necessary)



ATTY DOCKET NO.

61834-5028-US

APPLICATION NO

10/807,856

APPLICANT

Sparks *et al.*

FILING DATE

March 23, 2004

GROUP

1639

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

C43	Kawakami et al., 1988, "Acquisition of transforming properties by FYN, a normal SRC-related human gene", <i>Proc. Natl. Acad. Sci. USA</i> 85:3870-3874.
C44	Kay et al., 1993, "An M13 phage library displaying random 38-amino acid peptides as a source of novel sequences with affinity to selected targets", <i>Gene</i> 128:59-65.
C45	Kay, B. K., 1994, "Biologically displayed random peptides as reagents in mapping protein-protein interactions", <i>Perspect. in Drug Disc. & Design</i> 2:251-268.
C46	Kay et al., 1995, "Mapping protein-protein interactions with phage", <i>Tucson Mtg Discussion abstr.</i>
C47	Knudsen et al., 1994, "Four proline-rich sequences of the guanine-nucleotide exchange factor C3G bind with unique specificity to the first SRC homology 3 domain of CRK", <i>J. Biol. Chem.</i> 269:32781-32787.
C48	Krook et al., 1994, "Selection of peptides with affinity for single stranded DNA using a phage display library", <i>Biochem. Biophys. Res. Comm.</i> 204:849-854.
C49	Lam et al., 1991, "A new type of synthetic peptide library for identifying ligand-binding activity", <i>Nature</i> 354:82-84.
C50	Langer, R., 1990, "New methods of drug delivery", <i>Science</i> 249:1527-1533.
C51	Lescure et al., 1992, "A factor with SP1 DNA-binding specificity stimulates Xenopus U6 snRN in vivo transcription by RNA polymerase III", <i>J. Mol. Biol.</i> 228:387-394.
C52	Lichte et al., 1992, "Amphiphysin, a novel protein associated with synaptic vesicles", <i>EMBO J.</i> 11:2521-2530.
C53	Lim et al., 1994, "Stability and peptide binding affinity of an SH3 domain from the <i>Caenorhabditis elegans</i> signaling protein SEM-5", <i>Protein Sci.</i> 3:1261-1266.
C54	Lim et al., 1994, "Structural determinants of peptide-binding orientation and of sequence specificity on SH3 domains", <i>Nature</i> 372:375-379.
C55	Liu et al., 1993, "The v-Src SH3 domain binds phosphatidylinositol 3'-kinase", <i>Mol. Cell. Biol.</i> 13:5225-5232.
C56	Mayer et al., 1993, "A putative modular domain present in diverse signaling proteins", <i>Cell</i> 73:629-630.
C57	McAdara & Babior, 1993, "SH3 domains appear to play a functional role in respiratory burst oxidase activity", <i>Blood</i> 82:A28.
C58	McGlade et al., 1993, "The N-terminal region of GAP regulates cytoskeletal structure and cell adhesion", <i>EMBO J.</i> 12:3073-3081.
C59	McLafferty et al., 1993, "M13 bacteriophage displaying disulfide-constrained microproteins", <i>Gene</i> 128:29-36.
C60	Oldenburg et al., 1992, "Peptide ligands for a sugar-binding protein isolated from a random peptide library", <i>Proc. Natl. Acad. Sci. USA</i> 89:5393-5397.
C61	Olivier et al., 1993, "A Drosophila SH2-SH3 adaptor protein implicated in coupling the sevenless tyrosine kinase to an activator of Ras guanine nucleotide exchange, Sos", <i>Cell</i> 73:179-191.
C62	Parmley & Smith, 1988, "Antibody-selectable filamentous fd phage vectors: Affinity purification of target genes", <i>Gene</i> 73:305-318.
C63	Parmley & Smith, 1989, "Filamentous fusion phage cloning vectors for the study of epitopes and design of vaccines", <i>Adv. Exp. Med. Biol.</i> 251:215-218.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)		ATTY DOCKET NO.	APPLICATION NO
		61834-5028-US	10/807,856
		APPLICANT Sparks <i>et al.</i>	
		FILING DATE	GROUP
		March 23, 2004	1639
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)			
	C64	Pawson & Gish, 1992, "SH2 and SH3 domains: From structure to function", <i>Cell</i> 71:359-362.	
	C65	Pawson, T., 1995, "Protein modules and signalling networks", <i>Nature</i> 373:573-580.	
	C66	Pleiman et al., 1994, "Activation of phosphatidylinositol-3' kinase by Src-family kinase SH3 binding to the p85 subunit", <i>Science</i> 263:1609-1612.	
	C67	Rebar & Pabo, 1994, "Zinc finger phage: Affinity selection of fingers with new DNA-binding specificities", <i>Science</i> 263:671-673.	
	C68	Ren et al., 1993, "Identification of a ten-amino acid proline-rich SH3 binding site", <i>Science</i> 259:1157-1161.	
	C69	Reynolds et al., 1992, "Functional analysis of the SH2 and SH3 domains of the <i>Ick</i> tyrosine protein kinase", <i>Oncogene</i> 7:1949-1955.	
	C70	Rickles et al., 1994, "Identification of SRC, FYN, LYN, P13K and ABL SH3 domain ligands using phage display libraries", <i>EMBO J.</i> 13:5598-5604.	
	C71	Rickles et al., 1995, "Phage display selection of ligand residues important for Src homology 3 domain binding specificity", <i>Proc. Natl. Acad. Sci. USA</i> 92:10909-10913.	
	C72	Rozakis-Adcock et al., 1993, "The SH2 and SH3 domains of mammalian Grb2 couple the EGF receptor to the Ras activator mSosl", <i>Nature</i> 363:83-85.	
	C73	Sanger et al., 1980, "Cloning in single-stranded bacteriophage as an aid to rapid DNA sequencing", <i>J. Mol. Biol.</i> 143:161-178.	
	C74	Scott & Smith, 1990, "Searching for peptide ligands with an epitope library", <i>Science</i> 249:386-390.	
	C75	Seidel-Dugan et al., 1992, "Effects of SH2 and SH3 deletions on the functional activities of wild-type and transforming variants of c-SRC", <i>Mol. Cell. Biol.</i> 12:1835-1845.	
	C76	Sikela & Hahn, 1987, "Screening an expression library with a ligand probe: Isolation and sequence of a cDNA corresponding to a brain calmodulin-binding protein", <i>Proc. Natl. Acad. Sci. USA</i> 84:3038-3042.	
	C77	Skolnik et al., 1991, "Cloning of PI3 kinase-associated p85 utilizing a novel method for expression/cloning of target proteins for receptor tyrosine kinases", <i>Cell</i> 65:83-90.	
	C78	Songyang et al., 1993, "SH2 domains recognize specific phosphopeptide sequences", <i>Cell</i> 72:767-778.	
	C79	Sparks et al., 1994, "Identification and characterization of SRC SH3 ligands from phage-displayed random peptide libraries", <i>J. Biol. Chem.</i> 269:23853-23856.	
	C80	Sparks et al., 1995, "Screening phage-displayed random peptide libraries for SH3 ligands", <i>Meth. in Enzymol.</i> 255:498-509.	
	C81	Sparks et al., 1996, "Cloning of ligand targets: Systematic isolation of SH3 domain-containing proteins", <i>Nature Biotechnol.</i> 14:741-744.	
	C82	Sparks et al., 1996, "Distinct ligand preferences of SRC homology 3 domains from SRC, YES, ABL, Cortactin, p53bp2, PLC γ , CRK, and GRB2", <i>Proc. Natl. Acad. Sci. USA</i> 93:1540-1544.	
	C83	Spivack et al., 1984, "Microinjection of pp60 ^{v-src} into <i>Xenopus</i> oocytes increases phosphorylation of ribosomal protein S6 and accelerates the rate of progesterone-induced meiotic maturation", <i>Mol. Cell. Biol.</i> 4:1631-1634.	
	C84	Staudt et al., 1988, "Cloning of a lymphoid-specific cDNA encoding a protein binding the regulatory octamer DNA motif", <i>Science</i> 241:577-580.	
EXAMINER		DATE CONSIDERED	
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

61834-5028-US

APPLICATION NO

10/807,856

APPLICANT

Sparks *et al.*

FILING DATE

March 23, 2004

GROUP

1639

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

C85	Sudol, M., 1994, "YES-associated protein (YAP65) is a proline-rich phosphoprotein that binds to the SH3 domain of the YES proto-oncogene product", <i>Oncogene</i> 9:2145-2152.
C86	Tam & Zavala, 1989, "Multiple antigen peptide. A novel approach to increase detection sensitivity of synthetic peptides in solid-phase immunoassays", <i>J. Imm. Meth.</i> 124:53-61.
C87	Tam, J. P., 1988, "Synthetic peptide vaccine design: Synthesis and properties of a high-density multiple antigenic peptide system", <i>Proc. Natl. Acad. Sci. USA</i> 85:5409-5413.
C88	Tanaka et al., 1993, "Both the SH2 and SH3 domains of human CRK protein are required for neuronal differentiation of PC12 cells", <i>Mol. Cell. Biol.</i> 13:4409-4415.
C89	Taylor & Shalloway, 1993, "The cell cycle and c-SRC", <i>Curr. Opinion in Genetics & Dev.</i> 3:26-34.
C90	Taylor & Shalloway, 1994, "An RNA-binding protein associated with SRC through its SH2 and SH3 domains in mitosis", <i>Nature</i> 368:867-871.
C91	Tomasetto et al., 1995, "Identification of four novel human genes amplified and overexpressed in breast carcinoma and localized to the q11-g21.2 region of chromosome 17", <i>Genomics</i> 28:367-376.
C92	Tuerk & Gold, 1990, "Systematic evolution of ligands by exponential enrichment: RNA ligands to bacteriophage T4 DNA polymerase", <i>Science</i> 249:505-510.
C93	Tuerk et al., 1992, "RNA pseudoknots that inhibit human immunodeficiency virus type 1 reverse transcriptase", <i>Proc. Natl. Acad. Sci. USA</i> 89:6988-6992.
C94	Unger & Steele, 1992, "Biochemical and cytological changes associated with expression of deregulated pp60 ^{src} in <i>Xenopus</i> oocytes", <i>Mol. Cell. Biol.</i> 12:5485-5498.
C95	Vagne-Descroix et al., 1991, "Isolation and characterization of porcine sorbin", <i>Eur. J. Biochem.</i> 201:53-60.
C96	Wages et al., 1992, "Mutations in the SH3 domain of the <i>src</i> oncogene which decrease association of phosphatidylinositol 3'-kinase activity with pp60 ^{v-src} and alter cellular morphology", <i>J. Virol.</i> , 66:1866-1874.
C97	Weng et al., 1993, "Detection of Src homology 3-binding proteins, including paxillin, in normal and v-Src-transformed Balb/c 3T3 cells", <i>J. Biol. Chem.</i> 268:14956-14963.
C98	Winter, J., 1994, "Bacteriophage display: Peptide libraries and drug discovery", <i>Drug Dev. Res.</i> 33:71-89.
C99	Wu & Parsons, 1993, "Cortactin, an 80/85-kilodalton pp60 ^{src} substrate, is a filamentous actin-binding protein enriched in the cell cortex", <i>J. Cell Biol.</i> 120:1417-1426.
C100	Yamanashi et al., 1987, "The YES-related cellular gene LYN encodes a possible tyrosine kinase similar to p56lck", <i>Mol. Cell. Biol.</i> 7:237-243.
C101	Young & Davis, 1983, "Efficient isolation of genes by using antibody probes", <i>Proc. Natl. Acad. Sci. USA</i> 80:1194-1198.
C102	Yu et al., 1992, "Solution structure of the SH3 domain of Src and identification of its ligand-binding site", <i>Science</i> 258:1665-1668.
C103	Yu et al., 1994, "Structural basis for the binding of proline-rich peptides to SH3 domains", <i>Cell</i> 76:933-945.
C104	Zhu et al., 1993, "Direct analysis of the binding of the <i>abl</i> Src homology 2 domain to the activated epidermal growth factor receptor", <i>J. Biol. Chem.</i> 268:1775-1779.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.